

FIG. 1A




FIG. 1B





FIG. 1C



200



FIG. 2B




FIG. 2C





FIG. 2D



0064628-052301

FIG. 4


400

Source Range	Destination Range	Source Pattern	Destination Pattern

402 **403** **404** **405** **401** **410**


500

FIG. 5A



510

FIG. 5B



520

FIG. 5C





FIG. 6A






FIG. 7A




FIG. 7

FIG. 7A
FIG. 7B

```
graph TD; A((A)) --> B((B)); B --> 710[Performing a regular Copy-Paste operation from the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table, and the range of cells named CurrDestRange.]; 710 --> 711[Setting the background pattern of the range of cells named CurrDestRange to the value PATTERN_PASTE.]; 711 --> 712[Setting the background pattern of the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table to the value PATTERN_COPY.]; 712 --> 713[Setting Auto_Persistent_Copy_Paste as the routine handling the cell content modification event for the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table]; 713 --> 714[Setting Break_Copy as the routine handling the cell deletion event for the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table]; 714 --> 715[Setting Break_Paste as the routine handling the cell deletion event and the cell content modification event for the range of cells named CurrDestRange]; 715 --> A;
```

FIG. 1

710 Performing a regular Copy-Paste operation from the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table, and the range of cells named CurrDestRange.

711 Setting the background pattern of the range of cells named CurrDestRange to the value PATTERN_PASTE.

712 Setting the background pattern of the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table to the value PATTERN_COPY.

713 Setting Auto_Persistent_Copy_Paste as the routine handling the cell content modification event for the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table

714 Setting Break_Copy as the routine handling the cell deletion event for the range of cells pointed by the Source Range subfield of the top record of the Persistently Copy-Paste Table

715 Setting Break_Paste as the routine handling the cell deletion event and the cell content modification event for the range of cells named CurrDestRange

FIG. 8




FIG. 9




FIG. 10

